



S. S. EDUCATION TRUST'S
S. G. BALEKUNDRI INSTITUTE OF TECHNOLOGY, BELAGAVI
DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

R. NO: B -117/SH
W.E.F: 04/04/2022

TIME-TABLE[R0]-VERSION I

SGBIT/ACA/02-R2

Semester: VIII (2018 Scheme)
ACADEMIC YEAR 2021-22

Day / Time	9:15 a.m. to 10:15 a.m.	10:15 a.m. to 11:15 a.m.	11:15 a.m. to 11:30 a.m.	11:30 a.m. to 12:30 p.m.	12:30 p.m. to 1:30 p.m.	1:30 p.m. to 2:30 p.m.	2:30 p.m. to 3:20 p.m.	3:20 pm to 4:10 p.m.	4:10 p.m. to 5:00 p.m.	BATCH	USN
	10:15 a.m. to 11:15 a.m.	11:15 a.m. to 11:30 a.m.	11:30 a.m. to 12:30 p.m.	12:30 p.m. to 1:30 p.m.	1:30 p.m. to 2:30 p.m.	2:30 p.m. to 3:20 p.m.	3:20 p.m. to 4:10 p.m.	4:10 p.m. to 5:00 p.m.			
Monday	PE	IOT		TS	TS		← Project Phase (PP-II) →			A ₁	2BU18CS002 to 2BU18CS025
Tuesday	IOT	PE		TS	TS		← Project Phase (PP-II) →			A ₂	2BU18CS026 to 2BU18CS047
Wednesday	PE	IOT		TS	TS		← Project Phase (PP-II) →				
Thursday	IOT	PE	BREAK	TS	TS						
Friday	← Project Phase (PP-II) / INT →			← Project Phase (PP-II) / INT →							
Saturday	← Project Phase (PP-II) / INT →			← Project Phase (PP-II) / INT →						A ₃	2BU18CS048 to 2BU19CS412

Subject code	Subject name	Subject initials	Faculty name	Hours / Week (L+T+P)	Hours / Week per VTU(L+T+P)	Technical staff name
18CS81	Internet of Things	IOT	Dr. Vinayak Joshi	4+0+0	3+0+0	-
18CS822/ 18CS823	Professional elective - 4	PE	Mr. Mahantesh L. / Mrs Arpita P.	4+0+0	3+0+0	-
18CSP83	Project Work Phase - 2	PP-II	All Faculties	0+0+16	0+0+2	-
18CSS84	Technical Seminar	TS	All Faculties	0+0+8	0+0+2	-
18CSI85	Internship	INT	All Faculties	-	-	-
Class co-ordinator: Ms. Kangana W.				Mobile: 9731996442		E-mail id: kanganaw@sgbit.edu.in

30/3/2022

Mrs. Jaya Pattanshetti
Dept. Academic Co-ordinator

30.03.22
Dr. B. S. Halakarmath
HOD/ISE

Dept. of Computer Science & Engineering
S. G. Balekundri Institute of Technology

30.03.22
Dr. Ashok Hulagabali
Academic Co-ordinator

S G B I T - Belagavi.

30.03.22
Dr. B. R. Patagundi
Principal
S.S. Education Trust's
S.G. Balekundri Institute of Technology
Shivabasavanagar, Belagavi-590 040